


●もっとも広い用途で使用する汎用のロングドリルです。

This is general HSS long drills for deep holes.

Dc ≥ 6.0
S形Dc < 6.0
円すい

LIST 550

オーダ方法

LSD 直径 × 全長 (□商品: LSD 直径 × 全長 × 溝長)

単位 (Unit): mm / 円 (¥)

Non
Coat

穴深さ

~3D

~5D

~8D

深穴

フラット・
座ぐりセンタ
リングノス
ドリル

鉄骨

油穴付き

アルミ・
非鉄金属

ストレート

テーパ

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
1.0	75	35	●	957
1.0	75		□	-
1.0	100	40	●	1,150
1.0	100			-
1.0	125	50		-
1.0	150	60	□	-
1.0	200	75		-
1.05	100	50		-
1.05	150	60		-
1.1	75	35	●	1,020
1.1	75		□	-
1.1	100	40	●	1,240
1.1	100			-
1.1	125	50		-
1.1	150	60	□	-
1.1	200	75		-
1.15	100	50		-
1.15	150	60		-
1.2	75	35	●	938
1.2	75		□	-
1.2	100	40	●	1,140
1.2	100			-
1.2	125	50		-
1.2	150	60	□	-
1.2	200	75		-
1.25	100	50		-
1.25	150	60		-
1.3	75	35	●	885
1.3	75		□	-
1.3	100	40	●	1,130
1.3	100			-
1.3	125	50		-
1.3	150	60	□	-
1.3	200	75		-
1.35	100	50		-
1.35	150	60		-
1.4	75	35	●	866
1.4	75		□	-
1.4	100	40	●	1,120
1.4	100			-
1.4	125	50		-
1.4	150	60	□	-
1.4	200	75		-
1.45	100	50		-
1.45	150	60		-
1.5	75	35	●	758
1.5	75		□	-
1.5	100	40	●	957
1.5	100			-
1.5	125	50		-
1.5	150	60	□	-
1.5	200	75		-
1.55	100	50		-
1.55	150	60		-
1.6	75	35	●	808
1.6	75		□	-
1.6	100	40	●	1,030
1.6	100			-
1.6	125	55		-
1.6	150	60		-
1.6	200	80	□	-
1.6	250	100		-
1.65	100	50		-
1.65	150	60		-
1.7	75	35	●	808
1.7	75	40	□	-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
1.7	100	40	●	1,030
1.7	100	50		-
1.7	125	55		-
1.7	150	60		-
1.7	200	80	□	-
1.7	250	100		-
1.75	100	50		-
1.75	150	60		-
1.8	75	35	●	808
1.8	75	40	□	-
1.8	100	40	●	1,030
1.8	100	50		-
1.8	125	55		-
1.8	150	60		-
1.8	200	80	□	-
1.8	250	100		-
1.85	100	50		-
1.85	150	60		-
1.9	75	35	●	808
1.9	75		□	-
1.9	100	40	●	1,030
1.9	100	50		-
1.9	125	55		-
1.9	150	60		-
1.9	200	80	□	-
1.9	250	100		-
1.95	100	50		-
1.95	150	60		-
2.0	75	40		-
2.0	100	40	●	876
2.0	100	50	□	-
2.0	125	65		-
2.0	150	60	●	1,060
2.0	150	75		-
2.0	200	80		-
2.0	250	100		-
2.0	300	120	□	-
2.05	100	50		-
2.05	150	80		-
2.1	100	40	●	966
2.1	100	50		-
2.1	125	65		-
2.1	150	60	●	1,170
2.1	150	75		-
2.1	200	80		-
2.1	250	100	□	-
2.1	300	120		-
2.15	100	50		-
2.15	150	80		-
2.2	100	40	●	966
2.2	100	50		-
2.2	125	65		-
2.2	150	60	●	1,170
2.2	150	75		-
2.2	200	80		-
2.2	250	100	□	-
2.2	300	120		-
2.25	100	50		-
2.25	150	80		-
2.3	100	40	●	966
2.3	100	50	□	-
2.3	125	65		-
2.3	150	60	●	1,170
2.3	150	75		-
2.3	200	80	□	-
2.3	250	100		-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
2.3	300	120		-
2.35	100	50	□	-
2.35	150	80		-
2.4	100	40	●	966
2.4	100	50	□	-
2.4	125	65		-
2.4	150	60	●	1,170
2.4	150	75		-
2.4	200	80		-
2.4	250	100	□	-
2.4	300	120		-
2.45	100	50		-
2.45	150	80		-
2.5	100	50	●	885
2.5	125	65	□	-
2.5	150	60	●	1,060
2.5	150	75		-
2.5	200	80		-
2.5	200	100	●	1,340
2.5	250			-
2.5	300	120	□	-
2.55	100	60		-
2.55	150	80		-
2.6	100	50	●	1,030
2.6	100	60	□	-
2.6	125	70		-
2.6	150	75	●	1,270
2.6	150	80	□	-
2.6	200	100	●	1,590
2.6	200	105		-
2.6	250	110		-
2.6	300	120	□	-
2.65	100	60		-
2.65	150	80		-
2.7	100	50	●	1,030
2.7	100	60	□	-
2.7	125	70		-
2.7	150	75	●	1,270
2.7	150	80	□	-
2.7	200	100	●	1,590
2.7	200	105		-
2.7	250	110		-
2.7	300	120	□	-
2.75	100	60		-
2.75	150	80		-
2.8	100	50	●	1,030
2.8	100	60		-
2.8	125	70	□	-
2.8	150	75	●	1,270
2.8	150	80	□	-
2.8	200	100	●	1,590
2.8	200	105		-
2.8	250	110		-
2.8	300	120	□	-
2.85	100	60		-
2.85	150	80		-
2.9	100	50	●	1,030
2.9	100	60	□	-
2.9	125	70		-
2.9	150	75	●	1,270
2.9	150	80	□	-
2.9	200	100	●	1,590
2.9	200	105		-
2.9	250	110		-
2.9	300	120	□	-
2.95	100	60		-

シャンク部の径はドリル直径よりもマイナスに仕上げられています。溝長の長いドリルでは大きなマイナスとなるために、ドリルコレットをご使用の場合は、締め代に余裕があるコレットを選定ください。詳細は G-8 を参照ください。

直径 許容差	直径 (mm)						許容差 (μm)
	D ≤ 3	3 < D ≤ 6	6 < D ≤ 10	10 < D ≤ 18	18 < D ≤ 30	30 < D ≤ 50	
h6	0 ~ -6	0 ~ -8	0 ~ -9	0 ~ -11	0 ~ -13	0 ~ -16	
h7	0 ~ -10	0 ~ -12	0 ~ -15	0 ~ -18	0 ~ -21	0 ~ -25	
h8	0 ~ -14	0 ~ -18	0 ~ -22	0 ~ -27	0 ~ -33	0 ~ -39	
js6	± 3	± 4	± 4.5	± 5.5	± 6.5	± 8	

一般 構造用鋼	炭素鋼	合金鋼 調質鋼	ダイス鋼 プレハードン鋼	高硬度鋼	
SS400	S45C S50C	SCM NAK	30 ~ 40 HRC	40 ~ 50 HRC	50 ~ 65HRC
○	○	○		×	×
ステンレス鋼		Ti 合金 耐熱合金	鋳鉄	アルミ合金	銅合金
SUS304 SUS316	SUS420	Ti / Ni Alloy	FC / FCD	AC / ADC	Cu
			○	○	○

◎:最適 Excellent ○:適用 Good ×:不適 Not Used 無印 (No mark):推奨しません Not recommended

単位 (Unit): mm / 円 (¥)

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
2.95	150	80	□	-
3.0	100	50	●	939
3.0	100	60	□	-
3.0	125	70	□	-
3.0	150	75	●	1,160
3.0	150	80	□	-
3.0	200	100	●	1,460
3.0	200	105		-
3.0	250	110		-
3.0	300	120		-
3.0	350	125		-
3.0	400	130		-
3.0	500	140	□	-
3.05	100	60		-
3.05	150	85		-
3.1	100	60		-
3.1	125	70		-
3.1	150	75	●	1,340
3.1	150	85	□	-
3.1	200	100	●	1,640
3.1	200	110		-
3.1	250	120		-
3.1	300	130		-
3.15	100	60	□	-
3.15	150	85		-
3.2	100	60		-
3.2	125	70		-
3.2	150	75	●	1,340
3.2	150	85	□	-
3.2	200	100	●	1,640
3.2	200	110		-
3.2	250	120		-
3.2	300	130		-
3.25	100	60	□	-
3.25	150	85		-
3.3	100	60		-
3.3	125	70		-
3.3	150	75	●	1,340
3.3	150	85	□	-
3.3	200	100	●	1,640
3.3	200	110		-
3.3	250	120		-
3.3	300	130		-
3.35	100	60	□	-
3.35	150	85		-
3.4	100	60		-
3.4	125	70		-
3.4	150	75	●	1,340
3.4	150	85	□	-
3.4	200	100	●	1,640
3.4	200	110		-
3.4	250	120		-
3.4	300	130		-
3.45	100	60	□	-
3.45	150	80		-
3.5	100	60		-
3.5	125	70		-
3.5	150	75	●	1,230
3.5	150	85	□	-
3.5	200	100	●	1,500
3.5	200	110		-
3.5	250	120		-
3.5	300	130		-
3.5	350	145	□	-
3.5	400	160		-
3.5	500	190		-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
3.5	600	220		-
3.55	125	75		-
3.55	200	120	□	-
3.6	100	60		-
3.6	125			-
3.6	150	75	●	1,500
3.6	150	90	□	-
3.6	200	100	●	1,810
3.6	200	120	□	-
3.6	250		●	2,080
3.6	250	130	□	-
3.6	300	120	●	2,460
3.6	300	150		-
3.6	350	165		-
3.6	400	180		-
3.6	500	220		-
3.65	125	75	□	-
3.65	200	120		-
3.7	100	60		-
3.7	125			-
3.7	150	75	●	1,500
3.7	150	90	□	-
3.7	200	100	●	1,810
3.7	200	120	□	-
3.7	250		●	2,080
3.7	250	130	□	-
3.7	300	120	●	2,460
3.7	300	150		-
3.7	350	165		-
3.7	400	180		-
3.7	500	220		-
3.75	125	75	□	-
3.75	200	120		-
3.8	100	60		-
3.8	125			-
3.8	150	75	●	1,500
3.8	150	90	□	-
3.8	200	100	●	1,810
3.8	200	120	□	-
3.8	250		●	2,080
3.8	250	130	□	-
3.8	300	120	●	2,460
3.8	300	150		-
3.8	350	165		-
3.8	400	180		-
3.8	500	220		-
3.85	125	75	□	-
3.85	200	120		-
3.9	100	60		-
3.9	125			-
3.9	150	75	●	1,500
3.9	150	90	□	-
3.9	200	100	●	1,810
3.9	200	120	□	-
3.9	250		●	2,080
3.9	250	130	□	-
3.9	300	120	●	2,460
3.9	300	150		-
3.9	350	165		-
3.9	400	180		-
3.9	500	220		-
3.95	125	75	□	-
3.95	200	120		-
4.0	100	60		-
4.0	125			-
4.0	150	75	●	1,370

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
4.0	150	90	□	-
4.0	200	100	●	1,640
4.0	200		□	-
4.0	250	120	●	1,910
4.0	250	130	□	-
4.0	300	120	●	2,250
4.0	300	150		-
4.0	350	165		-
4.0	400	180		-
4.0	450	200		-
4.0	500	220		-
4.0	600	250	□	-
4.0	700	300		-
4.05	125	75		-
4.05	200	120		-
4.1	100	60		-
4.1	125			-
4.1	150	75	●	1,660
4.1	150	90	□	-
4.1	200	100	●	1,960
4.1	200	120	□	-
4.1	250		●	2,340
4.1	250	130	□	-
4.1	300	120	●	2,700
4.1	300	150		-
4.1	350	165		-
4.1	400	180		-
4.15	125	75	□	-
4.15	200	120		-
4.2	100	60		-
4.2	125			-
4.2	150	75	●	1,660
4.2	150	90	□	-
4.2	200	100	●	1,960
4.2	200	120	□	-
4.2	250		●	2,340
4.2	250	130	□	-
4.2	300	120	●	2,700
4.2	300	150		-
4.2	350	165		-
4.2	400	180		-
4.2	450	200		-
4.25	125	75	□	-
4.25	200	120		-
4.3	100	60		-
4.3	125			-
4.3	150	75	●	1,660
4.3	150	90	□	-
4.3	200	100	●	1,960
4.3	200	120	□	-
4.3	250		●	2,340
4.3	250	130	□	-
4.3	300	120	●	2,700
4.3	300	150		-
4.3	350	165		-
4.3	400	180		-
4.3	450	200		-
4.35	125	75	□	-
4.35	200	120		-
4.4	100	60		-
4.4	125			-
4.4	150	75	●	1,660
4.4	150	90	□	-
4.4	200	100	●	1,960
4.4	200	120	□	-
4.4	250		●	2,340

マークの説明はを参照ください。
参考価格は 2016 年 11 月現在のものです。

●は標準在庫品です。 1 本包装
●: Standard stock item. Sold one per package

□は特定代理店在庫品です。
□: Available for Japan customers only.

次頁

総目次

Non Coat

穴深さ

~3D

~5D

~8D

深穴

フラット・座ぐり

センタリング

ノスドリル

鉄骨

油穴付き

アルミ・非鉄金属

ストレート

テーパ

前頁

単位 (Unit) : mm / 円 (¥)

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
4.4	250	130	□	-
4.4	300	120	●	2,700
4.4	300	150		-
4.4	350	165		-
4.4	400	180		-
4.45	125	75	□	-
4.45	200	120		-
4.5	100	60		-
4.5	125			-
4.5	150	75	●	1,520
4.5	150	90	□	-
4.5	200	100	●	1,810
4.5	200		□	-
4.5	250	120	●	2,110
4.5	250	130	□	-
4.5	300	120	●	2,490
4.5	300	150		-
4.5	350	165		-
4.5	400	180		-
4.5	450	200		-
4.5	500	220	□	-
4.5	600	260		-
4.5	700	300		-
4.55	125	75		-
4.55	200	120		-
4.6	125			-
4.6	150	75	●	1,840
4.6	150		□	-
4.6	200	100	●	2,130
4.6	200	125	□	-
4.6	250	120	●	2,600
4.6	250	140	□	-
4.6	300	130	●	3,060
4.6	300	160	□	-
4.6	350	175		-
4.6	400	150	●	6,480
4.6	400	190		-
4.6	450	210		-
4.6	500	230		-
4.6	600	270	□	-
4.65	125	75		-
4.65	200	125		-
4.7	125			-
4.7	150	75	●	1,840
4.7	150		□	-
4.7	200	100	●	2,130
4.7	200	125	□	-
4.7	250	120	●	2,600
4.7	250	140	□	-
4.7	300	130	●	3,060
4.7	300	160	□	-
4.7	350	175		-
4.7	400	150	●	6,480
4.7	400	190		-
4.7	450	210		-
4.7	500	230		-
4.7	600	270	□	-
4.75	125	75		-
4.75	200	125		-
4.8	125			-
4.8	150	75	●	1,840
4.8	150		□	-
4.8	200	100	●	2,130
4.8	200	125	□	-
4.8	250	120	●	2,600
4.8	250	140	□	-
4.8	300	130	●	3,060
4.8	300	160	□	-
4.8	350	175		-
4.8	400	150	●	6,480
4.8	400	190		-
4.8	450	210		-
4.8	500	230		-
4.8	600	270	□	-
4.85	125	75		-
4.85	200	125		-
4.9	125			-
4.9	150	75	●	1,840
4.9	150		□	-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
4.9	200	100	●	2,130
4.9	200	125	□	-
4.9	250	120	●	2,600
4.9	250	140	□	-
4.9	300	130	●	3,060
4.9	300	160		-
4.9	350	175	□	-
4.9	400	150	●	6,480
4.9	400	190		-
4.9	450	210		-
4.9	500	230		-
4.9	600	270	□	-
4.95	125	75		-
4.95	200	125		-
5.0	125	75		-
5.0	150		●	1,640
5.0	150	100	□	-
5.0	200	125	●	1,910
5.0	200		□	-
5.0	250	120	●	2,340
5.0	250	140	□	-
5.0	300	130	●	2,760
5.0	300	160		-
5.0	350	175	□	-
5.0	400	150	●	5,820
5.0	400	190		-
5.0	450	210		-
5.0	500	230		-
5.0	600	270		-
5.0	700	310	□	-
5.0	800	350		-
5.05	125	75		-
5.05	150	110		-
5.05	200	125		-
5.1	125	85		-
5.1	150	100	●	1,960
5.1	150	110	□	-
5.1	200	100	●	2,370
5.1	200	125	□	-
5.1	250	120	●	2,880
5.1	250	150	□	-
5.1	300	130	●	3,360
5.1	300	170		-
5.1	350	180	□	-
5.1	400	150	●	7,240
5.1	400	200		-
5.1	450	220		-
5.1	500	230		-
5.1	600	270	□	-
5.15	125	85		-
5.15	150	110		-
5.15	200	125		-
5.2	125	85		-
5.2	150	100	●	1,960
5.2	150	110	□	-
5.2	200	100	●	2,370
5.2	200	125	□	-
5.2	250	120	●	2,880
5.2	250	150	□	-
5.2	300	130	●	3,360
5.2	300	170	□	-
5.2	350	180		-
5.2	400	150	●	7,240
5.2	400	200		-
5.2	450	220		-
5.2	500	230		-
5.2	600	270	□	-
5.25	125	85		-
5.25	150	110		-
5.25	200	125		-
5.3	125	85		-
5.3	150	100	●	1,960
5.3	150	110	□	-
5.3	200	100	●	2,370
5.3	200	125	□	-
5.3	250	120	●	2,880
5.3	250	150	□	-
5.3	300	130	●	3,360
5.3	300	170	□	-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
5.3	350	180	□	-
5.3	400	150	●	7,240
5.3	400	200		-
5.3	450	220		-
5.3	500	230		-
5.3	600	270		-
5.35	125	85	□	-
5.35	150	110		-
5.35	200	125		-
5.4	125	85		-
5.4	150	100	●	1,960
5.4	150	110	□	-
5.4	200	100	●	2,370
5.4	200	125	□	-
5.4	250	120	●	2,880
5.4	250	150	□	-
5.4	300	130	●	3,360
5.4	300	170	□	-
5.4	350	180		-
5.4	400	150	●	7,240
5.4	400	200		-
5.4	450	220		-
5.4	500	230		-
5.4	600	270	□	-
5.45	125	85		-
5.45	150	110		-
5.45	200	125		-
5.5	125	85		-
5.5	150	100	●	1,750
5.5	150	110	□	-
5.5	200	100	●	2,110
5.5	200	125	□	-
5.5	250	120	●	2,560
5.5	250	150	□	-
5.5	300	130	●	3,000
5.5	300	175	□	-
5.5	350	185		-
5.5	400	150	●	7,130
5.5	400	200		-
5.5	450	220		-
5.5	500	230		-
5.5	600	270		-
5.5	700	310	□	-
5.5	800	350		-
5.55	150	110		-
5.55	250	150		-
5.6	125	85		-
5.6	150	100	●	2,080
5.6	150	110	□	-
5.6	200	100	●	2,600
5.6	200	125	□	-
5.6	250	120	●	3,140
5.6	250	150	□	-
5.6	300	150	●	3,680
5.6	300	175	□	-
5.6	350	185		-
5.6	400	180	●	7,960
5.6	400	200	□	-
5.6	450	225		-
5.6	500	180	●	10,300
5.6	500	250		-
5.6	600	300		-
5.65	150	110	□	-
5.65	250	150		-
5.7	125	85		-
5.7	150	100	●	2,080
5.7	150	110	□	-
5.7	200	100	●	2,600
5.7	200	125	□	-
5.7	250	120	●	3,140
5.7	250	150	□	-
5.7	300	150	●	3,680
5.7	300	175		-
5.7	350	185	□	-
5.7	400	180	●	7,960
5.7	400	200	□	-
5.7	450	225		-
5.7	500	180	●	10,300
5.7	500	250	□	-

シャンク部の径はドリル直径よりもマイナスに仕上げられています。溝長の長いドリルでは大きなマイナスとなるために、ドリルコレットをご使用の場合は、締め代に余裕があるコレットを選定ください。詳細は G-8 を参照ください。

直径 許容差	直径 (mm)						許容差 (μm)
	D ≤ 3	3 < D ≤ 6	6 < D ≤ 10	10 < D ≤ 18	18 < D ≤ 30	30 < D ≤ 50	
h6	0 ~ -6	0 ~ -8	0 ~ -9	0 ~ -11	0 ~ -13	0 ~ -16	
h7	0 ~ -10	0 ~ -12	0 ~ -15	0 ~ -18	0 ~ -21	0 ~ -25	
h8	0 ~ -14	0 ~ -18	0 ~ -22	0 ~ -27	0 ~ -33	0 ~ -39	
js6	± 3	± 4	± 4.5	± 5.5	± 6.5	± 8	

単位 (Unit) : mm / 円 (¥)

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
5.7	600	300		-
5.75	150	110		-
5.75	250	150	□	-
5.8	125	85		-
5.8	150	100	●	2,080
5.8	150	110	□	-
5.8	200	100	●	2,600
5.8	200	125	□	-
5.8	250	120	●	3,140
5.8	250	150	□	-
5.8	300	150	●	3,680
5.8	300	175	□	-
5.8	350	185		-
5.8	400	180	●	7,960
5.8	400	200	□	-
5.8	450	225		-
5.8	500	180	●	10,300
5.8	500	250		-
5.8	600	300		-
5.85	150	110	□	-
5.85	250	150		-
5.9	125	85		-
5.9	150	100	●	2,080
5.9	150	110	□	-
5.9	200	100	●	2,600
5.9	200	125	□	-
5.9	250	120	●	3,140
5.9	250	150	□	-
5.9	300	150	●	3,680
5.9	300	175	□	-
5.9	350	185		-
5.9	400	180	●	7,960
5.9	400	200	□	-
5.9	450	225		-
5.9	500	180	●	10,300
5.9	500	250		-
5.9	600	300		-
5.95	150	110	□	-
5.95	250	150		-
6.0	125	90		-
6.0	150	100	●	1,880
6.0	150	110	□	-
6.0	200	100	●	2,340
6.0	200	125	□	-
6.0	250	120	●	2,800
6.0	250	150	□	-
6.0	300	150	●	3,300
6.0	300	175	□	-
6.0	350	185		-
6.0	400	180	●	7,390
6.0	400	200	□	-
6.0	450	225		-
6.0	500	180	●	9,930
6.0	500	250	□	-
6.0	600	200	●	14,100
6.0	600	300		-
6.0	700	350		-
6.0	800	400	□	-
6.05	150	110		-
6.05	250	150		-
6.1	125	90		-
6.1	150	100	●	2,360
6.1	150	110	□	-
6.1	200	100	●	2,950
6.1	200	125	□	-
6.1	250	120	●	3,530
6.1	250	150	□	-
6.1	300	150	●	4,070
6.1	300	175		-
6.1	350	185		-
6.1	400	200		-
6.1	450	225		-
6.1	500	250	□	-
6.1	600	300		-
6.15	150	110		-
6.15	250	150		-
6.2	125	90		-
6.2	150	100	●	2,360
6.2	150	110	□	-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
6.2	200	100	●	2,950
6.2	200	125	□	-
6.2	250	120	●	3,530
6.2	250	150	□	-
6.2	300	150	●	4,070
6.2	300	175		-
6.2	350	185		-
6.2	400	200		-
6.2	450	225		-
6.2	500	250	□	-
6.2	600	300		-
6.25	150	110		-
6.25	250	150		-
6.3	125	90		-
6.3	150	100	●	2,360
6.3	150	110	□	-
6.3	200	100	●	2,950
6.3	200	125	□	-
6.3	250	120	●	3,530
6.3	250	150	□	-
6.3	300	150	●	4,070
6.3	300	175		-
6.3	350	185		-
6.3	400	200		-
6.3	450	225		-
6.3	500	250	□	-
6.3	600	300		-
6.35	150	110		-
6.35	250	150		-
6.4	125	90		-
6.4	150	100	●	2,360
6.4	150	110	□	-
6.4	200	100	●	2,950
6.4	200	125	□	-
6.4	250	120	●	3,530
6.4	250	150	□	-
6.4	300	150	●	4,070
6.4	300	175		-
6.4	350	185		-
6.4	400	200		-
6.4	450	225		-
6.4	500	250	□	-
6.4	600	300		-
6.45	150	110		-
6.45	250	150		-
6.5	150	110		-
6.5	200	100	●	2,560
6.5	200	125	□	-
6.5	250	120	●	3,090
6.5	250	150	□	-
6.5	300	150	●	3,560
6.5	300	175	□	-
6.5	350	185		-
6.5	400	200	●	8,020
6.5	450	225	□	-
6.5	500	200	●	10,700
6.5	500	250	□	-
6.5	600	200	●	15,000
6.5	600	300		-
6.5	700	350		-
6.5	800	400	□	-
6.55	150	110		-
6.55	250	150		-
6.6	150	110		-
6.6	200	100	●	3,290
6.6	200	125	□	-
6.6	250	120	●	3,800
6.6	250	150	□	-
6.6	300	150	●	4,360
6.6	300	175		-
6.6	350	185		-
6.6	400	200		-
6.6	450	225		-
6.6	500	250	□	-
6.6	600	300		-
6.6	700	350		-
6.6	800	400		-
6.65	150	110		-
6.65	250	150		-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
6.7	150	110	□	-
6.7	200	100	●	3,290
6.7	200	125	□	-
6.7	250	120	●	3,800
6.7	250	150	□	-
6.7	300	150	●	4,360
6.7	300	175		-
6.7	350	185		-
6.7	400	200		-
6.7	450	225		-
6.7	500	250		-
6.7	600	300	□	-
6.7	700	350		-
6.7	800	400		-
6.75	150	110		-
6.75	250	150		-
6.8	150	110		-
6.8	200	100	●	3,290
6.8	200	125	□	-
6.8	250	120	●	3,800
6.8	250	150	□	-
6.8	300	150	●	4,360
6.8	300	175		-
6.8	350	185		-
6.8	400	200		-
6.8	450	225		-
6.8	500	250		-
6.8	600	300	□	-
6.8	700	350		-
6.8	800	400		-
6.85	150	110		-
6.85	250	150		-
6.9	150	110		-
6.9	200	100	●	3,290
6.9	200	125	□	-
6.9	250	120	●	3,800
6.9	250	150	□	-
6.9	300	150	●	4,360
6.9	300	175		-
6.9	350	185		-
6.9	400	200		-
6.9	450	225		-
6.9	500	250		-
6.9	600	300	□	-
6.9	700	350		-
6.9	800	400		-
6.95	150	110		-
6.95	250	150		-
7.0	150	110		-
7.0	200	100	●	2,880
7.0	200	125	□	-
7.0	250	120	●	3,320
7.0	250	150	□	-
7.0	300	150	●	3,800
7.0	300	175		-
7.0	350	185		-
7.0	400	200	●	8,070
7.0	450	225	□	-
7.0	500	200	●	11,300
7.0	500	250	□	-
7.0	600	200	●	15,300
7.0	600	300		-
7.0	700	350		-
7.0	800	400	□	-
7.05	150	110		-
7.05	250	150		-
7.1	150	110		-
7.1	200	100	●	3,560
7.1	200	125	□	-
7.1	250	120	●	4,110
7.1	250	150	□	-
7.1	300	150	●	4,710
7.1	300	175		-
7.1	350	185		-
7.1	400	200		-
7.1	450	225	□	-
7.1	500	250		-
7.1	600	300		-
7.1	700	350		-

マークの説明は を参照ください。
参考価格は 2016 年 11 月現在のもです。

●は標準在庫品です。
●: Standard stock item.

1 本包装
Sold one per package

□は特定代理店在庫品です。
□: Available for Japan customers only.

次頁

総目次

Non
Coat

穴深さ

~3D

~5D

~8D

深穴

フラット・
座ぐり

センタ
リング

ノス
ドリル

鉄骨

油穴付き

アルミ・
非鉄金属

ストレート

テーパ

前頁

単位 (Unit) : mm / 円 (¥)

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
7.1	800	400		-
7.15	150	110		-
7.15	250	150	□	-
7.2	150	110		-
7.2	200	100	●	3,560
7.2	200	125	□	-
7.2	250	120	●	4,110
7.2	250	150	□	-
7.2	300	150	●	4,710
7.2	300	175		-
7.2	350	185		-
7.2	400	200		-
7.2	450	225		-
7.2	500	250		-
7.2	600	300	□	-
7.2	700	350		-
7.2	800	400		-
7.25	150	110		-
7.25	250	150		-
7.3	150	110		-
7.3	200	100	●	3,560
7.3	200	125	□	-
7.3	250	120	●	4,110
7.3	250	150	□	-
7.3	300	150	●	4,710
7.3	300	175		-
7.3	350	185		-
7.3	400	200		-
7.3	450	225		-
7.3	500	250		-
7.3	600	300	□	-
7.3	700	350		-
7.3	800	400		-
7.35	150	110		-
7.35	250	150		-
7.4	150	110		-
7.4	200	100	●	3,560
7.4	200	125	□	-
7.4	250	120	●	4,110
7.4	250	150	□	-
7.4	300	150	●	4,710
7.4	300	175		-
7.4	350	185		-
7.4	400	200		-
7.4	450	225		-
7.4	500	250		-
7.4	600	300	□	-
7.4	700	350		-
7.4	800	400		-
7.45	150	110		-
7.45	250	150		-
7.5	150	110		-
7.5	200	100	●	3,140
7.5	200	125	□	-
7.5	250	120	●	3,600
7.5	250	150	□	-
7.5	300	150	●	4,130
7.5	300	175	□	-
7.5	350	185		-
7.5	400	200	●	8,590
7.5	450	225	□	-
7.5	500	200	●	11,700
7.5	500	250	□	-
7.5	600	200	●	15,800
7.5	600	300		-
7.5	700	350		-
7.5	800	400		-
7.55	150	110	□	-
7.55	250	150		-
7.6	150	110		-
7.6	200	100	●	3,890
7.6	200	125	□	-
7.6	250	120	●	4,400
7.6	250	150	□	-
7.6	300	150	●	5,130
7.6	300	175		-
7.6	350	185		-
7.6	400	200	□	-
7.6	450	225		-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
7.6	500	250		-
7.6	600	300		-
7.6	700	350		-
7.6	800	400	□	-
7.65	150	110		-
7.65	250	150		-
7.7	150	110		-
7.7	200	100	●	3,890
7.7	200	125	□	-
7.7	250	120	●	4,400
7.7	250	150	□	-
7.7	300	150	●	5,130
7.7	300	175		-
7.7	350	185		-
7.7	400	200		-
7.7	450	225		-
7.7	500	250		-
7.7	600	300	□	-
7.7	700	350		-
7.7	800	400		-
7.75	150	110		-
7.75	250	150		-
7.8	150	110		-
7.8	200	100	●	3,890
7.8	200	125	□	-
7.8	250	120	●	4,400
7.8	250	150	□	-
7.8	300	175	●	5,130
7.8	350	185		-
7.8	400	200		-
7.8	450	225		-
7.8	500	250		-
7.8	600	300	□	-
7.8	700	350		-
7.8	800	400		-
7.85	150	110		-
7.85	250	150		-
7.9	150	110		-
7.9	200	100	●	3,890
7.9	200	125	□	-
7.9	250	120	●	4,400
7.9	250	150	□	-
7.9	300	150	●	5,130
7.9	300	175		-
7.9	350	185		-
7.9	400	200		-
7.9	450	225		-
7.9	500	250		-
7.9	600	300	□	-
7.9	700	350		-
7.9	800	400		-
7.95	150	110		-
7.95	250	150		-
8.0	150	110		-
8.0	200	100	●	3,410
8.0	200	125	□	-
8.0	250	120	●	3,890
8.0	250	150	□	-
8.0	300	150	●	4,510
8.0	300	175	□	-
8.0	350	185		-
8.0	400	200	●	8,590
8.0	450	225	□	-
8.0	500	200	●	12,600
8.0	500	300	□	-
8.0	600	200	●	16,100
8.0	600	350		-
8.0	700	400		-
8.0	800	450		-
8.05	150	110	□	-
8.05	250	150		-
8.1	150	110		-
8.1	200	100	●	4,360
8.1	200	125	□	-
8.1	250	120	●	4,830
8.1	250	150	□	-
8.1	300	150	●	5,580
8.1	300	175	□	-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
8.1	350	185		-
8.1	400	200		-
8.1	450	250		-
8.1	500	300		-
8.1	600	350		-
8.1	700	400	□	-
8.1	800	450		-
8.15	150	110		-
8.15	250	150		-
8.2	150	110		-
8.2	200	100	●	4,360
8.2	200	125	□	-
8.2	250	120	●	4,830
8.2	250	150	□	-
8.2	300	150	●	5,580
8.2	300	175		-
8.2	350	185		-
8.2	400	200		-
8.2	450	250		-
8.2	500	300		-
8.2	600	350	□	-
8.2	700	400		-
8.2	800	450		-
8.25	150	110		-
8.25	250	150		-
8.3	150	110		-
8.3	200	100	●	4,360
8.3	200	125	□	-
8.3	250	120	●	4,830
8.3	250	150	□	-
8.3	300	150	●	5,580
8.3	300	175		-
8.3	350	185		-
8.3	400	200		-
8.3	450	250		-
8.3	500	300		-
8.3	600	350	□	-
8.3	700	400		-
8.3	800	450		-
8.35	150	110		-
8.35	250	150		-
8.4	150	110		-
8.4	200	100	●	4,360
8.4	200	125	□	-
8.4	250	120	●	4,830
8.4	250	150	□	-
8.4	300	150	●	5,580
8.4	300	175		-
8.4	350	185		-
8.4	400	200		-
8.4	450	250		-
8.4	500	300		-
8.4	600	350	□	-
8.4	700	400		-
8.4	800	450		-
8.45	150	110		-
8.45	250	150		-
8.5	150	110		-
8.5	200	100	●	3,830
8.5	200	125	□	-
8.5	250	120	●	4,250
8.5	250	150	□	-
8.5	300	150	●	4,910
8.5	300	175	□	-
8.5	350	185		-
8.5	400	200	●	9,310
8.5	450	250	□	-
8.5	500	200	●	13,400
8.5	500	300	□	-
8.5	600	200	●	16,500
8.5	600	350		-
8.5	700	400		-
8.5	800	450		-
8.55	150	110	□	-
8.55	250	150		-
8.6	150	110		-
8.6	200	100	●	4,750
8.6	200	125	□	-
8.6	250	120	●	5,400

シャンク部の径はドリル直径よりもマイナスに仕上げられています。溝長の長いドリルでは大きなマイナスとなるために、ドリルコレットをご使用の場合は、締め代に余裕があるコレットを選定ください。詳細は G-8 を参照ください。

直径 許容差	直径 (mm)						許容差 (μm)
	D ≤ 3	3 < D ≤ 6	6 < D ≤ 10	10 < D ≤ 18	18 < D ≤ 30	30 < D ≤ 50	
h6	0 ~ -6	0 ~ -8	0 ~ -9	0 ~ -11	0 ~ -13	0 ~ -16	
h7	0 ~ -10	0 ~ -12	0 ~ -15	0 ~ -18	0 ~ -21	0 ~ -25	
h8	0 ~ -14	0 ~ -18	0 ~ -22	0 ~ -27	0 ~ -33	0 ~ -39	
js6	± 3	± 4	± 4.5	± 5.5	± 6.5	± 8	

単位 (Unit) : mm / 円 (¥)

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
8.6	250	150	□	-
8.6	300	150	●	6,090
8.6	300	175		-
8.6	350	185		-
8.6	400	200		-
8.6	450	250		-
8.6	500	300		-
8.6	600	350	□	-
8.6	700	400		-
8.6	800	450		-
8.65	150	110		-
8.65	250	150		-
8.7	150	110		-
8.7	200	100	●	4,750
8.7	200	125	□	-
8.7	250	120	●	5,400
8.7	250	150	□	-
8.7	300	150	●	6,090
8.7	300	175		-
8.7	350	185		-
8.7	400	200		-
8.7	450	250		-
8.7	500	300		-
8.7	600	350	□	-
8.7	700	400		-
8.7	800	450		-
8.75	150	110		-
8.75	250	150		-
8.8	150	110		-
8.8	200	100	●	4,750
8.8	200	125	□	-
8.8	250	120	●	5,400
8.8	250	150	□	-
8.8	300	150	●	6,090
8.8	300	175		-
8.8	350	185		-
8.8	400	200		-
8.8	450	250		-
8.8	500	300		-
8.8	600	350	□	-
8.8	700	400		-
8.8	800	450		-
8.85	150	110		-
8.85	250	150		-
8.9	150	110		-
8.9	200	100	●	4,750
8.9	200	125	□	-
8.9	250	120	●	5,400
8.9	250	150	□	-
8.9	300	150	●	6,090
8.9	300	175		-
8.9	350	185		-
8.9	400	200		-
8.9	450	250		-
8.9	500	300		-
8.9	600	350	□	-
8.9	700	400		-
8.9	800	450		-
8.95	150	110		-
8.95	250	150		-
9.0	150	110		-
9.0	200	100	●	4,140
9.0	200	125	□	-
9.0	250	120	●	4,750
9.0	250	150	□	-
9.0	300	150	●	5,300
9.0	300	175		-
9.0	350	185	□	-
9.0	400	200	●	9,380
9.0	450	250	□	-
9.0	500	200	●	14,600
9.0	500	300	□	-
9.0	600	200	●	19,900
9.0	600	350		-
9.0	700	400		-
9.0	800	450		-
9.05	200	125	□	-
9.05	300	175		-
9.1	150	110		-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
9.1	200	100	●	5,090
9.1	200	125	□	-
9.1	250	120	●	5,710
9.1	250	150	□	-
9.1	300	150	●	6,580
9.1	300	175		-
9.1	350	185		-
9.1	400	200		-
9.1	450	250		-
9.1	500	300		-
9.1	600	350	□	-
9.1	700	400		-
9.1	800	450		-
9.15	200	125		-
9.15	300	175		-
9.2	150	110		-
9.2	200	100	●	5,090
9.2	200	125	□	-
9.2	250	120	●	5,710
9.2	250	150	□	-
9.2	300	150	●	6,580
9.2	300	175		-
9.2	350	185		-
9.2	400	200		-
9.2	450	250		-
9.2	500	300		-
9.2	600	350	□	-
9.2	700	400		-
9.2	800	450		-
9.25	200	125		-
9.25	300	175		-
9.3	150	110		-
9.3	200	100	●	5,090
9.3	200	125	□	-
9.3	250	120	●	5,710
9.3	250	150	□	-
9.3	300	150	●	6,580
9.3	300	175		-
9.3	350	185		-
9.3	400	200		-
9.3	450	250		-
9.3	500	300		-
9.3	600	350	□	-
9.3	700	400		-
9.3	800	450		-
9.35	200	125		-
9.35	300	175		-
9.4	150	110		-
9.4	200	100	●	5,090
9.4	200	125	□	-
9.4	250	120	●	5,710
9.4	250	150	□	-
9.4	300	150	●	6,580
9.4	300	175		-
9.4	350	185		-
9.4	400	200		-
9.4	450	250		-
9.4	500	300		-
9.4	600	350	□	-
9.4	700	400		-
9.4	800	450		-
9.45	200	125		-
9.45	300	175		-
9.5	150	110		-
9.5	200	100	●	4,450
9.5	200	125	□	-
9.5	250	120	●	5,020
9.5	250	150	□	-
9.5	300	150	●	5,740
9.5	300	175		-
9.5	350	185	□	-
9.5	400	200	●	10,300
9.5	450	250	□	-
9.5	500	200	●	15,000
9.5	500	300	□	-
9.5	600	200	●	21,800
9.5	600	350		-
9.5	700	400	□	-
9.5	800	450		-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
9.55	200	125		-
9.55	300	175	□	-
9.6	150	110		-
9.6	200	100	●	5,490
9.6	200	125	□	-
9.6	250	120	●	6,160
9.6	250	150	□	-
9.6	300	150	●	7,120
9.6	300	175		-
9.6	350	185		-
9.6	400	200		-
9.6	500	300		-
9.6	600	350		-
9.6	700	400	□	-
9.6	800	450		-
9.6	1000	550		-
9.65	200	125		-
9.65	300	175		-
9.7	150	110		-
9.7	200	100	●	5,490
9.7	200	125	□	-
9.7	250	120		-
9.7	250	150	●	6,160
9.7	300	150		-
9.7	300	175		-
9.7	350	185		-
9.7	400	200		-
9.7	500	300		-
9.7	600	350		-
9.7	700	400	□	-
9.7	800	450		-
9.7	1000	550		-
9.75	200	125		-
9.75	300	175		-
9.8	150	110		-
9.8	200	100	●	5,490
9.8	200	125	□	-
9.8	250	120	●	6,160
9.8	250	150	□	-
9.8	300	150	●	7,120
9.8	300	175		-
9.8	350	185		-
9.8	400	200		-
9.8	500	300		-
9.8	600	350		-
9.8	700	400	□	-
9.8	800	450		-
9.8	1000	550		-
9.85	200	125		-
9.85	300	175		-
9.9	150	110		-
9.9	200	100	●	5,490
9.9	200	125	□	-
9.9	250	120	●	6,160
9.9	250	150	□	-
9.9	300	150	●	7,120
9.9	300	175		-
9.9	350	185		-
9.9	400	200		-
9.9	500	300		-
9.9	600	350		-
9.9	700	400	□	-
9.9	800	450		-
9.9	1000	550		-
9.95	200	125		-
9.95	300	175		-
10.0	150	110		-
10.0	200	100	●	4,800
10.0	200	125	□	-
10.0	250	120	●	5,430
10.0	250	150	□	-
10.0	300	150	●	6,240
10.0	300	175		-
10.0	350	185	□	-
10.0	400	200	●	10,600
10.0	450	250	□	-
10.0	500	250	●	15,400
10.0	500	300	□	-
10.0	600	300	●	21,900

マークの説明はを参照ください。
参考価格は2016年11月現在のものです。

●は標準在庫品です。
●: Standard stock item.

1 本包装
Sold one per package

□は特定代理店在庫品です。
□: Available for Japan customers only.

次頁

総目次

Non
Coat

穴深さ

~3D

~5D

~8D

深穴

フラット・
座ぐり

センタ
リング

ノス
ドリル

鉄骨

油穴付き

アルミ・
非鉄金属

ストレート

テーパ


前頁

単位 (Unit) : mm / 円 (¥)

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
10.0	600	400		-
10.0	700	450		-
10.0	800	500		-
10.0	1000	600	□	-
10.05	200	125		-
10.05	300	175		-
10.1	150	110		-
10.1	200	100	●	6,010
10.1	200	125	□	-
10.1	250	120	●	7,010
10.1	250	150	□	-
10.1	300	150	●	7,950
10.1	300	175		-
10.1	350	185		-
10.1	400	200		-
10.1	450	250		-
10.1	500	300		-
10.1	600	400	□	-
10.1	800	500		-
10.1	1000	600		-
10.15	200	125		-
10.15	300	175		-
10.2	150	110		-
10.2	200	100	●	6,010
10.2	200	125	□	-
10.2	250	120	●	7,010
10.2	250	150	□	-
10.2	300	150	●	7,950
10.2	300	175		-
10.2	350	185		-
10.2	400	200		-
10.2	450	250		-
10.2	500	300	□	-
10.2	600	400		-
10.2	800	500		-
10.2	1000	600		-
10.25	300	175		-
10.3	150	110		-
10.3	200	100	●	6,010
10.3	200	125	□	-
10.3	250	120	●	7,010
10.3	250	150	□	-
10.3	300	150	●	7,950
10.3	300	175		-
10.3	350	185		-
10.3	400	200		-
10.3	450	250		-
10.3	500	300	□	-
10.3	600	400		-
10.3	800	500		-
10.3	1000	600		-
10.35	300	175		-
10.4	150	110		-
10.4	200	100	●	6,010
10.4	200	125	□	-
10.4	250	120	●	7,010
10.4	250	150	□	-
10.4	300	150	●	7,950
10.4	300	175		-
10.4	350	185		-
10.4	400	200		-
10.4	450	250		-
10.4	500	300		-
10.4	600	400	□	-
10.4	800	500		-
10.4	1000	600		-
10.45	300	175		-
10.5	150	110		-
10.5	200	125		-
10.5	250	120	●	5,900
10.5	250	150	□	-
10.5	300	150	●	6,680
10.5	300	175		-
10.5	350	185	□	-
10.5	400	200	●	11,700
10.5	450	250	□	-
10.5	500	300	●	16,000
10.5	500	300	□	-
10.5	600	300	●	22,500

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
10.5	600	400		-
10.5	700	450		-
10.5	800	500		-
10.5	1000	600	□	-
10.55	300	175		-
10.6	200	125		-
10.6	250	120	●	7,550
10.6	250	150	□	-
10.6	300	150	●	8,760
10.6	300	175		-
10.6	350	185		-
10.6	400	200		-
10.6	450	250		-
10.6	500	300	□	-
10.6	600	400		-
10.6	800	500		-
10.6	1000	600		-
10.65	300	175		-
10.7	200	125		-
10.7	250	120	●	7,550
10.7	250	150	□	-
10.7	300	150	●	8,760
10.7	300	175		-
10.7	350	185		-
10.7	400	200		-
10.7	450	250		-
10.7	500	300		-
10.7	600	400	□	-
10.7	800	500		-
10.7	1000	600		-
10.75	300	175		-
10.8	200	125		-
10.8	250	120	●	7,550
10.8	250	150	□	-
10.8	300	150	●	8,760
10.8	300	175		-
10.8	350	185		-
10.8	400	200		-
10.8	450	250		-
10.8	500	300	□	-
10.8	600	400		-
10.8	800	500		-
10.8	1000	600		-
10.85	300	175		-
10.9	200	125		-
10.9	250	120	●	7,550
10.9	250	150	□	-
10.9	300	150	●	8,760
10.9	300	175		-
10.9	350	185		-
10.9	400	200		-
10.9	450	250		-
10.9	500	300		-
10.9	600	400	□	-
10.9	800	500		-
10.9	1000	600		-
10.95	300	175		-
11.0	200	125		-
11.0	250	120	●	6,370
11.0	250	150	□	-
11.0	300	150	●	7,350
11.0	300	175	□	-
11.0	350	185		-
11.0	400	200	●	11,700
11.0	450	250	□	-
11.0	500	250	●	18,300
11.0	500	300	□	-
11.0	600	400	●	25,200
11.0	700	450		-
11.0	800	500		-
11.0	1000	600	□	-
11.05	200	125		-
11.05	300	175		-
11.1	200	125		-
11.1	250	120	●	8,640
11.1	250	150	□	-
11.1	300	150	●	9,570
11.1	300	175	□	-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
11.1	400	200		-
11.1	500	300		-
11.1	600	400		-
11.1	800	500	□	-
11.1	1000	600		-
11.15	300	175		-
11.2	200	125		-
11.2	250	120	●	8,640
11.2	250	150	□	-
11.2	300	150	●	9,570
11.2	300	175		-
11.2	400	200		-
11.2	500	300		-
11.2	600	400	□	-
11.2	800	500		-
11.2	1000	600		-
11.25	300	175		-
11.3	200	125		-
11.3	250	120	●	8,640
11.3	250	150	□	-
11.3	300	150	●	9,570
11.3	300	175		-
11.3	400	200		-
11.3	500	300		-
11.3	600	400	□	-
11.3	800	500		-
11.3	1000	600		-
11.35	300	175		-
11.4	200	125		-
11.4	250	120	●	8,640
11.4	250	150	□	-
11.4	300	150	●	9,570
11.4	300	175		-
11.4	400	200		-
11.4	500	300		-
11.4	600	400	□	-
11.4	800	500		-
11.4	1000	600		-
11.45	300	175		-
11.5	200	125		-
11.5	250	120	●	7,270
11.5	250	150	□	-
11.5	300	150	●	8,040
11.5	300	175		-
11.5	350	185		-
11.5	400	200	●	12,500
11.5	450	250	□	-
11.5	500	250	●	19,600
11.5	500	300	□	-
11.5	600	300	●	28,600
11.5	600	400		-
11.5	700	450		-
11.5	800	500	□	-
11.5	1000	600		-
11.55	300	175		-
11.6	200	125		-
11.6	250	120	●	8,890
11.6	250	150	□	-
11.6	300	150	●	10,300
11.6	300	175		-
11.6	400	200		-
11.6	500	300		-
11.6	600	400		-
11.6	800	500	□	-
11.6	1000	600		-
11.65	300	175		-
11.7	200	125		-
11.7	250	120	●	8,890
11.7	250	150	□	-
11.7	300	150	●	10,300
11.7	300	175		-
11.7	400	200		-
11.7	500	300		-
11.7	600	400	□	-
11.7	800	500		-
11.7	1000	600		-
11.75	300	175		-
11.8	200	125		-
11.8	250	120	●	8,890

直径 許容差	直径 (mm)						許容差 (μm)
	D ≤ 3	3 < D ≤ 6	6 < D ≤ 10	10 < D ≤ 18	18 < D ≤ 30	30 < D ≤ 50	
h6	0 ~ -6	0 ~ -8	0 ~ -9	0 ~ -11	0 ~ -13	0 ~ -16	
h7	0 ~ -10	0 ~ -12	0 ~ -15	0 ~ -18	0 ~ -21	0 ~ -25	
h8	0 ~ -14	0 ~ -18	0 ~ -22	0 ~ -27	0 ~ -33	0 ~ -39	
js6	± 3	± 4	± 4.5	± 5.5	± 6.5	± 8	

単位 (Unit) : mm / 円 (¥)

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
11.8	250	150	□	-
11.8	300		●	10,300
11.8	300	175		-
11.8	400	200		-
11.8	500	300		-
11.8	600	400	□	-
11.8	800	500		-
11.8	1000	600		-
11.85	300	175		-
11.9	200	125		-
11.9	250	120	●	8,890
11.9	250		□	-
11.9	300	150	●	10,300
11.9	300	175		-
11.9	400	200		-
11.9	500	300		-
11.9	600	400	□	-
11.9	800	500		-
11.9	1000	600		-
11.95	300	175		-
12.0	200	125		-
12.0	250	120	●	7,510
12.0	250		□	-
12.0	300	150	●	8,700
12.0	300	175	□	-
12.0	350	185		-
12.0	400	200	●	13,800
12.0	450	250	□	-
12.0	500		●	19,800
12.0	500	300	□	-
12.0	600		●	29,700
12.0	600	400		-
12.0	700	450		-
12.0	800	500		-
12.0	1000	600	□	-
12.05	200	125		-
12.05	300	175		-
12.1	200	125		-
12.1	250	120	●	9,570
12.1	250		□	-
12.1	300	150	●	11,200
12.1	300	175		-
12.1	400	200		-
12.1	500	300		-
12.1	600	400	□	-
12.1	800	500		-
12.1	1000	600		-
12.2	200	125		-
12.2	250	120	●	9,570
12.2	250		□	-
12.2	300	150	●	11,200
12.2	300	175		-
12.2	400	200		-
12.2	500	300	□	-
12.2	600	400		-
12.2	800	500		-
12.2	1000	600		-
12.3	200	125		-
12.3	250	120	●	9,570
12.3	250		□	-
12.3	300	150	●	11,200
12.3	300	175		-
12.3	400	200		-
12.3	500	300		-
12.3	600	400	□	-
12.3	800	500		-
12.3	1000	600		-
12.4	200	125		-
12.4	250	120	●	9,570
12.4	250		□	-
12.4	300	150	●	11,200
12.4	300	175		-
12.4	400	200		-
12.4	500	300		-
12.4	600	400	□	-
12.4	800	500		-
12.4	1000	600		-
12.5	200	125		-
12.5	250	120	●	8,040

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
12.5	250	150	□	-
12.5	300	150	●	9,380
12.5	300	175		-
12.5	350	185		-
12.5	400	200	●	14,500
12.5	450		□	-
12.5	500	250	●	23,400
12.5	500		□	-
12.5	600	300	●	30,000
12.5	600	400		-
12.5	700	450		-
12.5	800	500	□	-
12.5	1000	600		-
12.6	200	125		-
12.6	250	120	●	10,200
12.6	250		□	-
12.6	300	150	●	11,800
12.6	300	175		-
12.6	400	200		-
12.6	500	300		-
12.6	600	400	□	-
12.6	800	500		-
12.6	1000	600		-
12.7	200	125		-
12.7	250	120	●	10,200
12.7	250		□	-
12.7	300	150	●	11,800
12.7	300	175		-
12.7	400	200		-
12.7	500	300		-
12.7	600	400	□	-
12.7	800	500		-
12.7	1000	600		-
12.8	200	125		-
12.8	250	120	●	10,200
12.8	250		□	-
12.8	300	150	●	11,800
12.8	300	175		-
12.8	400	200		-
12.8	500	300		-
12.8	600	400	□	-
12.8	800	500		-
12.8	1000	600		-
12.9	200	125		-
12.9	250	120	●	10,200
12.9	250		□	-
12.9	300	150	●	11,800
12.9	300	175		-
12.9	400	200		-
12.9	500	300		-
12.9	600	400	□	-
12.9	800	500		-
12.9	1000	600		-
13.0	200	125		-
13.0	250	120	●	8,550
13.0	250		□	-
13.0	300	150	●	9,930
13.0	300	175	□	-
13.0	350	185		-
13.0	400	200	●	15,100
13.0	450	250	□	-
13.0	500		●	23,400
13.0	500		□	-
13.0	600	300	●	30,000
13.0	600	400		-
13.0	700	450		-
13.0	800	500		-
13.0	1000	600		-
*13.1	250	150		-
*13.1	300	200		-
*13.1	400	250		-
*13.2	250	150	□	-
*13.2	300	200		-
*13.2	400	250		-
*13.3	250			-
*13.4	250	150		-
*13.5	250			-
*13.5	300	200		-
*13.5	400	250		-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 Price
*13.6	250			-
*13.7	250	150		-
*13.7	300	200		-
*13.7	400	250		-
*13.8	250	150		-
*13.8	300	200		-
*13.8	400	250		-
*13.9	250			-
*14.0	250	150		-
*14.0	300	200		-
*14.0	400	250		-
*14.0	500	350		-
*14.0	600	425		-
*14.1	250	150		-
*14.1	300	200		-
*14.1	400	250		-
*14.2	250	150		-
*14.2	300	200		-
*14.2	400	250		-
*14.3	250			-
*14.4	250	150		-
*14.5	250			-
*14.5	400	250		-
*14.6	250			-
*14.7	250	150		-
*14.8	250			-
*14.8	300	200		-
*14.8	400	250		-
*14.9	250			-
*15.0	250	150		-
*15.0	300	200		-
*15.0	400	250		-
*15.0	500	350		-
*15.0	600	425		-
*15.1	250	150		-
*15.1	300	200		-
*15.1	400	250		-
*15.2	250	150		-
*15.2	300	200	□	-
*15.2	400	250		-
*15.3	250			-
*15.4	250	150		-
*15.5	300	200		-
*15.5	400	250		-
*15.6	300			-
*15.7	300			-
*15.8	300	200		-
*15.9	300			-
*16.0	300			-
*16.0	400	250		-
*16.0	500	350		-
*16.0	600	425		-
*16.5	300			-
*17.0	300	200		-
*17.0	400	250		-
*17.5	300			-
*18.0	300	200		-
*18.0	400	250		-
*18.0	500	350		-
*18.0	600	425		-
*18.5	300	200		-
*18.5	400	250		-
*18.5	500	350		-
*19.0	300	200		-
*19.0	400	250		-
*19.0	500	350		-
*19.5	300			-
*20.0	300	200		-
*20.0	400	250		-
*20.0	500	350		-
*20.0	600	425		-
*20.5	300			-
*21.0	300	200		-
*21.5	300			-
*22.0	300			-
*22.0	400	250		-

●は標準在庫品です。 1 本包装
 ●: Standard stock item. Sold one per package
 □は特定代理店在庫品です。
 □: Available for Japan customers only.

* 印はタング付きストレートシャンク (Bタイプ 1 を参照ください。
 参考価格は 2016 年 11 月現在のものです。

総目次

Non Coat

穴深さ

~3D

~5D

~8D

深穴

フラット・座ぐり

センタリング

ノスドリル

鉄骨

油穴付き

アルミ・非鉄金属

ストレート

テーパ