

SD

## ストレートシャンクドリル

Straight Shank Drills

●もっとも広い用途で使用されている汎用ドリルです。

This drill is applied for general purpose.



直径 2.0mm 未満の表面は白（無着色）です。  
Less than 2.0mm in the diameter is the  
bright finishes.


LIST 500

オーダ方法

SD 直径



Dc &gt; 13.0

Dc ≤ 13.0  
円すい

切削条件 Drilling Condition ▶ A-237

単位 (Unit) : mm / 円 (¥)

| 直径<br>Dc | 溝長<br>l | 全長<br>L | 在庫<br>Stock | 参考価格<br>Price |
|----------|---------|---------|-------------|---------------|
| 0.2      | 3       | 19      | ●           | 865           |
| 0.21     | 3.5     | 20      | ●           | 1,120         |
| 0.22     | 3.5     | 20      | ●           | 1,120         |
| 0.23     | 3.5     | 20      | ●           | 1,120         |
| 0.24     | 3.5     | 20      | ●           | 1,120         |
| 0.25     | 3.5     | 20      | ●           | 1,040         |
| 0.26     | 3.5     | 20      | ●           | 1,120         |
| 0.27     | 3.5     | 20      | ●           | 1,120         |
| 0.28     | 3.5     | 20      | ●           | 1,120         |
| 0.29     | 3.5     | 20      | ●           | 1,120         |
| 0.3      | 3.5     | 20      | ●           | 543           |
| 0.31     | 5.5     | 24      | ●           | 676           |
| 0.32     | 5.5     | 24      | ●           | 676           |
| 0.33     | 5.5     | 24      | ●           | 676           |
| 0.34     | 5.5     | 24      | ●           | 676           |
| 0.35     | 5.5     | 24      | ●           | 634           |
| 0.36     | 5.5     | 24      | ●           | 676           |
| 0.37     | 5.5     | 24      | ●           | 676           |
| 0.38     | 5.5     | 24      | ●           | 676           |
| 0.39     | 5.5     | 24      | ●           | 676           |
| 0.4      | 5.5     | 24      | ●           | 449           |
| 0.41     | 7.5     | 27      | ●           | 560           |
| 0.42     | 7.5     | 27      | ●           | 560           |
| 0.43     | 7.5     | 27      | ●           | 560           |
| 0.44     | 7.5     | 27      | ●           | 560           |
| 0.45     | 7.5     | 27      | ●           | 527           |
| 0.46     | 7.5     | 27      | ●           | 560           |
| 0.47     | 7.5     | 27      | ●           | 560           |
| 0.48     | 7.5     | 27      | ●           | 560           |
| 0.49     | 7.5     | 27      | ●           | 560           |
| 0.5      | 7.5     | 30      | ●           | 362           |
| 0.51     | 8.5     | 30      | ●           | 468           |
| 0.52     | 8.5     | 30      | ●           | 468           |
| 0.53     | 8.5     | 30      | ●           | 468           |
| 0.54     | 8.5     | 30      | ●           | 468           |
| 0.55     | 8.5     | 30      | ●           | 440           |
| 0.56     | 8.5     | 30      | ●           | 468           |
| 0.57     | 8.5     | 30      | ●           | 468           |
| 0.58     | 8.5     | 30      | ●           | 468           |
| 0.59     | 8.5     | 30      | ●           | 468           |
| 0.6      | 8.5     | 30      | ●           | 366           |
| 0.61     | 10      | 32      | ●           | 457           |
| 0.62     | 10      | 32      | ●           | 457           |
| 0.63     | 10      | 32      | ●           | 457           |
| 0.64     | 10      | 32      | ●           | 457           |
| 0.65     | 10      | 32      | ●           | 426           |
| 0.66     | 10      | 32      | ●           | 457           |
| 0.67     | 10      | 32      | ●           | 457           |
| 0.68     | 10      | 32      | ●           | 457           |
| 0.69     | 10      | 32      | ●           | 457           |
| 0.7      | 10      | 32      | ●           | 337           |
| 0.71     | 11      | 34      | ●           | 421           |
| 0.72     | 11      | 34      | ●           | 421           |
| 0.73     | 11      | 34      | ●           | 421           |
| 0.74     | 11      | 34      | ●           | 421           |
| 0.75     | 11      | 34      | ●           | 396           |
| 0.76     | 11      | 34      | ●           | 421           |
| 0.77     | 11      | 34      | ●           | 421           |
| 0.78     | 11      | 34      | ●           | 421           |
| 0.79     | 11      | 34      | ●           | 421           |

| 直径<br>Dc | 溝長<br>l | 全長<br>L | 在庫<br>Stock | 参考価格<br>Price |
|----------|---------|---------|-------------|---------------|
| 0.8      | 11      | 34      | ●           | 286           |
| 0.81     | 13      | 36      | ●           | 382           |
| 0.82     | 13      | 36      | ●           | 382           |
| 0.83     | 13      | 36      | ●           | 382           |
| 0.84     | 13      | 36      | ●           | 382           |
| 0.85     | 13      | 36      | ●           | 360           |
| 0.86     | 13      | 36      | ●           | 382           |
| 0.87     | 13      | 36      | ●           | 382           |
| 0.88     | 13      | 36      | ●           | 382           |
| 0.89     | 13      | 36      | ●           | 382           |
| 0.9      | 13      | 36      | ●           | 307           |
| 0.91     | 18      | 40      | ●           | 382           |
| 0.92     | 18      | 40      | ●           | 382           |
| 0.93     | 18      | 40      | ●           | 382           |
| 0.94     | 18      | 40      | ●           | 382           |
| 0.95     | 18      | 40      | ●           | 360           |
| 0.96     | 18      | 40      | ●           | 382           |
| 0.97     | 18      | 40      | ●           | 382           |
| 0.98     | 18      | 40      | ●           | 382           |
| 0.99     | 18      | 40      | ●           | 382           |
| 1.0      | 18      | 40      | ●           | 259           |
| 1.01     | 20      | 42      | ●           | 344           |
| 1.02     | 20      | 42      | ●           | 344           |
| 1.03     | 20      | 42      | ●           | 344           |
| 1.04     | 20      | 42      | ●           | 344           |
| 1.05     | 20      | 42      | ●           | 316           |
| 1.06     | 20      | 42      | ●           | 344           |
| 1.07     | 20      | 42      | ●           | 344           |
| 1.08     | 20      | 42      | ●           | 344           |
| 1.09     | 20      | 42      | ●           | 344           |
| 1.1      | 20      | 42      | ●           | 304           |
| 1.11     | 20      | 42      | ●           | 344           |
| 1.12     | 20      | 42      | ●           | 344           |
| 1.13     | 20      | 42      | ●           | 344           |
| 1.14     | 20      | 42      | ●           | 344           |
| 1.15     | 20      | 42      | ●           | 316           |
| 1.16     | 20      | 42      | ●           | 344           |
| 1.17     | 20      | 42      | ●           | 344           |
| 1.18     | 20      | 42      | ●           | 344           |
| 1.19     | 20      | 42      | ●           | 344           |
| 1.2      | 20      | 42      | ●           | 286           |
| 1.21     | 22      | 45      | ●           | 344           |
| 1.22     | 22      | 45      | ●           | 344           |
| 1.23     | 22      | 45      | ●           | 344           |
| 1.24     | 22      | 45      | ●           | 344           |
| 1.25     | 22      | 45      | ●           | 316           |
| 1.26     | 22      | 45      | ●           | 344           |
| 1.27     | 22      | 45      | ●           | 344           |
| 1.28     | 22      | 45      | ●           | 344           |
| 1.29     | 22      | 45      | ●           | 344           |
| 1.3      | 22      | 45      | ●           | 304           |
| 1.31     | 23      | 48      | ●           | 344           |
| 1.32     | 23      | 48      | ●           | 344           |
| 1.33     | 23      | 48      | ●           | 344           |
| 1.34     | 23      | 48      | ●           | 344           |
| 1.35     | 23      | 48      | ●           | 316           |
| 1.36     | 23      | 48      | ●           | 344           |
| 1.37     | 23      | 48      | ●           | 344           |
| 1.38     | 23      | 48      | ●           | 344           |
| 1.39     | 23      | 48      | ●           | 344           |

直径許容差 : h8 (0.01mm サイズは 0 ~ 0.008mm。ただし、0.05mm サイズは h8) 直径 1mm 未満は 0 ~ 0.01mm



工具材料



直径許容差



先端角



ねじれ角



直径範囲

recommended!

X 形シンニング付きドリルには, SDXJP  
パック入りをご利用ください。  
X 形シンニング以外は同一仕様です。

E-4



| 低炭素鋼<br>軟鋼            | 炭素鋼<br>合金鋼             | プレハードン鋼<br>高合金鋼    | 調質鋼                    | 焼入鋼                           |
|-----------------------|------------------------|--------------------|------------------------|-------------------------------|
| SS400, S10C<br>~150HB | S45C, SCM440<br>~225HB | SUJ, NAK<br>~275HB | SKD, SKH<br>30 ~ 40HRC | Hardened Steels<br>40 ~ 50HRC |
| ○                     | ○                      | ○                  |                        | ×                             |
| ステンレス鋼                |                        | 耐熱合金               | 鋳鉄                     | アルミ合金<br>銅合金                  |
| SUS304                | SUS420                 | Ti/Ni Alloys       | FC/FCD                 | Al/Cu                         |
|                       |                        |                    | ○                      | ○                             |

◎:最適 Excellent ○:適用 Good ×:不適 Not Used 無印 (No mark): 推奨しません Not recommended

単位 (Unit) : mm / 円 (¥)

| 直径<br>Dc | 溝長<br>ℓ | 全長<br>L | 在庫<br>Stock | 参考価格<br>Price |
|----------|---------|---------|-------------|---------------|
| 1.4      | 23      | 48      | ●           | 304           |
| 1.41     | 23      | 48      | ●           | 344           |
| 1.42     | 23      | 48      | ●           | 344           |
| 1.43     | 23      | 48      | ●           | 344           |
| 1.44     | 23      | 48      | ●           | 344           |
| 1.45     | 23      | 48      | ●           | 316           |
| 1.46     | 23      | 48      | ●           | 344           |
| 1.47     | 23      | 48      | ●           | 344           |
| 1.48     | 23      | 48      | ●           | 344           |
| 1.49     | 23      | 48      | ●           | 344           |
| 1.5      | 23      | 48      | ●           | 258           |
| 1.51     | 25      | 50      | ●           | 339           |
| 1.52     | 25      | 50      | ●           | 339           |
| 1.53     | 25      | 50      | ●           | 339           |
| 1.54     | 25      | 50      | ●           | 339           |
| 1.55     | 25      | 50      | ●           | 311           |
| 1.56     | 25      | 50      | ●           | 339           |
| 1.57     | 25      | 50      | ●           | 339           |
| 1.58     | 25      | 50      | ●           | 339           |
| 1.59     | 25      | 50      | ●           | 339           |
| 1.6      | 25      | 50      | ●           | 280           |
| 1.61     | 25      | 50      | ●           | 339           |
| 1.62     | 25      | 50      | ●           | 339           |
| 1.63     | 25      | 50      | ●           | 339           |
| 1.64     | 25      | 50      | ●           | 339           |
| 1.65     | 25      | 50      | ●           | 311           |
| 1.66     | 25      | 50      | ●           | 339           |
| 1.67     | 25      | 50      | ●           | 339           |
| 1.68     | 25      | 50      | ●           | 339           |
| 1.69     | 25      | 50      | ●           | 339           |
| 1.7      | 25      | 50      | ●           | 304           |
| 1.71     | 28      | 52      | ●           | 339           |
| 1.72     | 28      | 52      | ●           | 339           |
| 1.73     | 28      | 52      | ●           | 339           |
| 1.74     | 28      | 52      | ●           | 339           |
| 1.75     | 28      | 52      | ●           | 311           |
| 1.76     | 28      | 52      | ●           | 339           |
| 1.77     | 28      | 52      | ●           | 339           |
| 1.78     | 28      | 52      | ●           | 339           |
| 1.79     | 28      | 52      | ●           | 339           |
| 1.8      | 28      | 52      | ●           | 290           |
| 1.81     | 28      | 52      | ●           | 339           |
| 1.82     | 28      | 52      | ●           | 339           |
| 1.83     | 28      | 52      | ●           | 339           |
| 1.84     | 28      | 52      | ●           | 339           |
| 1.85     | 28      | 52      | ●           | 311           |
| 1.86     | 28      | 52      | ●           | 339           |
| 1.87     | 28      | 52      | ●           | 339           |
| 1.88     | 28      | 52      | ●           | 339           |
| 1.89     | 28      | 52      | ●           | 339           |
| 1.9      | 28      | 52      | ●           | 290           |
| 1.91     | 29      | 55      | ●           | 339           |
| 1.92     | 29      | 55      | ●           | 339           |
| 1.93     | 29      | 55      | ●           | 339           |
| 1.94     | 29      | 55      | ●           | 339           |
| 1.95     | 29      | 55      | ●           | 311           |
| 1.96     | 29      | 55      | ●           | 339           |
| 1.97     | 29      | 55      | ●           | 339           |
| 1.98     | 29      | 55      | ●           | 339           |
| 1.99     | 29      | 55      | ●           | 339           |

| 直径<br>Dc | 溝長<br>ℓ | 全長<br>L | 在庫<br>Stock | 参考価格<br>Price |
|----------|---------|---------|-------------|---------------|
| 2.0      | 29      | 55      | ●           | 252           |
| 2.01     | 29      | 55      | ●           | 339           |
| 2.02     | 29      | 55      | ●           | 339           |
| 2.03     | 29      | 55      | ●           | 339           |
| 2.04     | 29      | 55      | ●           | 339           |
| 2.05     | 29      | 55      | ●           | 311           |
| 2.06     | 29      | 55      | ●           | 339           |
| 2.07     | 29      | 55      | ●           | 339           |
| 2.08     | 29      | 55      | ●           | 339           |
| 2.09     | 29      | 55      | ●           | 339           |
| 2.1      | 29      | 55      | ●           | 296           |
| 2.11     | 29      | 55      | ●           | 339           |
| 2.12     | 29      | 55      | ●           | 339           |
| 2.13     | 29      | 55      | ●           | 339           |
| 2.14     | 29      | 55      | ●           | 339           |
| 2.15     | 29      | 55      | ●           | 311           |
| 2.16     | 29      | 55      | ●           | 339           |
| 2.17     | 29      | 55      | ●           | 339           |
| 2.18     | 29      | 55      | ●           | 339           |
| 2.19     | 29      | 55      | ●           | 339           |
| 2.2      | 33      | 58      | ●           | 296           |
| 2.21     | 33      | 58      | ●           | 339           |
| 2.22     | 33      | 58      | ●           | 339           |
| 2.23     | 33      | 58      | ●           | 339           |
| 2.24     | 33      | 58      | ●           | 339           |
| 2.25     | 33      | 58      | ●           | 311           |
| 2.26     | 33      | 58      | ●           | 339           |
| 2.27     | 33      | 58      | ●           | 339           |
| 2.28     | 33      | 58      | ●           | 339           |
| 2.29     | 33      | 58      | ●           | 339           |
| 2.3      | 33      | 58      | ●           | 283           |
| 2.31     | 33      | 58      | ●           | 339           |
| 2.32     | 33      | 58      | ●           | 339           |
| 2.33     | 33      | 58      | ●           | 339           |
| 2.34     | 33      | 58      | ●           | 339           |
| 2.35     | 33      | 58      | ●           | 311           |
| 2.36     | 33      | 58      | ●           | 339           |
| 2.37     | 33      | 58      | ●           | 339           |
| 2.38     | 33      | 58      | ●           | 339           |
| 2.39     | 33      | 58      | ●           | 339           |
| 2.4      | 35      | 61      | ●           | 296           |
| 2.41     | 35      | 61      | ●           | 339           |
| 2.42     | 35      | 61      | ●           | 339           |
| 2.43     | 35      | 61      | ●           | 339           |
| 2.44     | 35      | 61      | ●           | 339           |
| 2.45     | 35      | 61      | ●           | 311           |
| 2.46     | 35      | 61      | ●           | 339           |
| 2.47     | 35      | 61      | ●           | 339           |
| 2.48     | 35      | 61      | ●           | 339           |
| 2.49     | 35      | 61      | ●           | 339           |
| 2.5      | 35      | 61      | ●           | 252           |
| 2.51     | 35      | 61      | ●           | 323           |
| 2.52     | 35      | 61      | ●           | 323           |
| 2.53     | 35      | 61      | ●           | 323           |
| 2.54     | 37      | 64      | ●           | 323           |
| 2.55     | 37      | 64      | ●           | 301           |
| 2.56     | 37      | 64      | ●           | 323           |
| 2.57     | 37      | 64      | ●           | 323           |
| 2.58     | 37      | 64      | ●           | 323           |
| 2.59     | 37      | 64      | ●           | 323           |

包装数量は直径 8mm 以下:10 本、8mm を超え 13mm 以下:5 本、13mm を超え:2 本です。1 本入りは E-6 の鉄工用ドリル SDP をご利用ください。ただし、SDP の直径 4mm 以下は 2 本入りです。参考価格は 2010 年 10 月現在のものです。

## 総目次

### Non Coat

#### 穴深さ

~3D

~5D

~7D

~9D

#### 深穴

#### ノスドリル

#### 鉄骨

#### 油穴付き

#### アルミ・非鉄金属

#### ストレート

#### テーパ

NEXT



単位 (Unit) : mm / 円 (¥)

| 直径<br>Dc | 溝長<br>ℓ | 全長<br>L | 在庫<br>Stock | 参考価格<br>Price |
|----------|---------|---------|-------------|---------------|
| 2.6      | 37      | 64      | ●           | 283           |
| 2.61     | 37      | 64      | ●           | 323           |
| 2.62     | 37      | 64      | ●           | 323           |
| 2.63     | 37      | 64      | ●           | 323           |
| 2.64     | 37      | 64      | ●           | 323           |
| 2.65     | 37      | 64      | ●           | 301           |
| 2.66     | 37      | 64      | ●           | 323           |
| 2.67     | 37      | 64      | ●           | 323           |
| 2.68     | 37      | 64      | ●           | 323           |
| 2.69     | 37      | 64      | ●           | 323           |
| 2.7      | 37      | 64      | ●           | 283           |
| 2.71     | 37      | 64      | ●           | 323           |
| 2.72     | 39      | 67      | ●           | 323           |
| 2.73     | 39      | 67      | ●           | 323           |
| 2.74     | 39      | 67      | ●           | 323           |
| 2.75     | 39      | 67      | ●           | 301           |
| 2.76     | 39      | 67      | ●           | 323           |
| 2.77     | 39      | 67      | ●           | 323           |
| 2.78     | 39      | 67      | ●           | 323           |
| 2.79     | 39      | 67      | ●           | 323           |
| 2.8      | 39      | 67      | ●           | 279           |
| 2.81     | 39      | 67      | ●           | 323           |
| 2.82     | 39      | 67      | ●           | 323           |
| 2.83     | 39      | 67      | ●           | 323           |
| 2.84     | 39      | 67      | ●           | 323           |
| 2.85     | 39      | 67      | ●           | 301           |
| 2.86     | 39      | 67      | ●           | 323           |
| 2.87     | 39      | 67      | ●           | 323           |
| 2.88     | 39      | 67      | ●           | 323           |
| 2.89     | 42      | 71      | ●           | 323           |
| 2.9      | 42      | 71      | ●           | 283           |
| 2.91     | 42      | 71      | ●           | 323           |
| 2.92     | 42      | 71      | ●           | 323           |
| 2.93     | 42      | 71      | ●           | 323           |
| 2.94     | 42      | 71      | ●           | 323           |
| 2.95     | 42      | 71      | ●           | 301           |
| 2.96     | 42      | 71      | ●           | 323           |
| 2.97     | 42      | 71      | ●           | 323           |
| 2.98     | 42      | 71      | ●           | 323           |
| 2.99     | 42      | 71      | ●           | 323           |
| 3.0      | 42      | 71      | ●           | 236           |
| 3.05     | 42      | 71      | ●           | 368           |
| 3.1      | 42      | 71      | ●           | 329           |
| 3.15     | 42      | 71      | ●           | 368           |
| 3.2      | 42      | 71      | ●           | 288           |
| 3.25     | 42      | 71      | ●           | 368           |
| 3.3      | 45      | 73      | ●           | 288           |
| 3.35     | 45      | 73      | ●           | 368           |
| 3.4      | 45      | 73      | ●           | 316           |
| 3.45     | 45      | 73      | ●           | 368           |
| 3.5      | 45      | 73      | ●           | 288           |
| 3.55     | 45      | 73      | ●           | 407           |
| 3.6      | 48      | 76      | ●           | 351           |
| 3.65     | 48      | 76      | ●           | 407           |
| 3.7      | 48      | 76      | ●           | 351           |
| 3.75     | 48      | 76      | ●           | 407           |
| 3.8      | 48      | 76      | ●           | 318           |
| 3.85     | 51      | 79      | ●           | 407           |
| 3.9      | 51      | 79      | ●           | 368           |
| 3.95     | 51      | 79      | ●           | 407           |
| 4.0      | 54      | 83      | ●           | 318           |
| 4.05     | 54      | 83      | ●           | 490           |
| 4.1      | 54      | 83      | ●           | 421           |
| 4.15     | 54      | 83      | ●           | 490           |
| 4.2      | 54      | 83      | ●           | 382           |
| 4.25     | 54      | 83      | ●           | 490           |
| 4.3      | 54      | 83      | ●           | 421           |
| 4.35     | 54      | 83      | ●           | 490           |
| 4.4      | 56      | 86      | ●           | 421           |
| 4.45     | 56      | 86      | ●           | 490           |

| 直径<br>Dc | 溝長<br>ℓ | 全長<br>L | 在庫<br>Stock | 参考価格<br>Price |
|----------|---------|---------|-------------|---------------|
| 4.5      | 56      | 86      | ●           | 382           |
| 4.55     | 56      | 86      | ●           | 564           |
| 4.6      | 56      | 86      | ●           | 482           |
| 4.65     | 59      | 89      | ●           | 564           |
| 4.7      | 59      | 89      | ●           | 482           |
| 4.75     | 59      | 89      | ●           | 564           |
| 4.8      | 59      | 89      | ●           | 482           |
| 4.85     | 59      | 89      | ●           | 564           |
| 4.9      | 62      | 92      | ●           | 504           |
| 4.95     | 62      | 92      | ●           | 564           |
| 5.0      | 62      | 92      | ●           | 439           |
| 5.05     | 62      | 92      | ●           | 656           |
| 5.1      | 62      | 92      | ●           | 560           |
| 5.15     | 62      | 92      | ●           | 656           |
| 5.2      | 64      | 95      | ●           | 511           |
| 5.25     | 64      | 95      | ●           | 656           |
| 5.3      | 64      | 95      | ●           | 560           |
| 5.35     | 64      | 95      | ●           | 656           |
| 5.4      | 64      | 95      | ●           | 560           |
| 5.45     | 64      | 95      | ●           | 656           |
| 5.5      | 64      | 95      | ●           | 511           |
| 5.55     | 64      | 95      | ●           | 755           |
| 5.6      | 67      | 98      | ●           | 645           |
| 5.65     | 67      | 98      | ●           | 755           |
| 5.7      | 67      | 98      | ●           | 645           |
| 5.75     | 67      | 98      | ●           | 755           |
| 5.8      | 67      | 98      | ●           | 645           |
| 5.85     | 67      | 98      | ●           | 755           |
| 5.9      | 67      | 98      | ●           | 676           |
| 5.95     | 67      | 98      | ●           | 755           |
| 6.0      | 70      | 102     | ●           | 589           |
| 6.05     | 70      | 102     | ●           | 852           |
| 6.1      | 70      | 102     | ●           | 730           |
| 6.15     | 70      | 102     | ●           | 852           |
| 6.2      | 70      | 102     | ●           | 730           |
| 6.25     | 70      | 102     | ●           | 852           |
| 6.3      | 70      | 102     | ●           | 730           |
| 6.35     | 70      | 102     | ●           | 852           |
| 6.4      | 73      | 105     | ●           | 730           |
| 6.45     | 73      | 105     | ●           | 852           |
| 6.5      | 73      | 105     | ●           | 663           |
| 6.55     | 73      | 105     | ●           | 964           |
| 6.6      | 73      | 105     | ●           | 823           |
| 6.65     | 73      | 105     | ●           | 964           |
| 6.7      | 73      | 105     | ●           | 823           |
| 6.75     | 73      | 105     | ●           | 964           |
| 6.8      | 73      | 105     | ●           | 823           |
| 6.85     | 73      | 105     | ●           | 964           |
| 6.9      | 73      | 105     | ●           | 886           |
| 6.95     | 73      | 105     | ●           | 964           |
| 7.0      | 73      | 105     | ●           | 748           |
| 7.05     | 75      | 108     | ●           | 1,120         |
| 7.1      | 75      | 108     | ●           | 1,010         |
| 7.15     | 75      | 108     | ●           | 1,120         |
| 7.2      | 75      | 108     | ●           | 962           |
| 7.25     | 75      | 108     | ●           | 1,120         |
| 7.3      | 75      | 108     | ●           | 1,010         |
| 7.35     | 75      | 108     | ●           | 1,120         |
| 7.4      | 78      | 111     | ●           | 1,010         |
| 7.45     | 78      | 111     | ●           | 1,120         |
| 7.5      | 78      | 111     | ●           | 897           |
| 7.55     | 78      | 111     | ●           | 1,210         |
| 7.6      | 78      | 111     | ●           | 1,140         |
| 7.65     | 78      | 111     | ●           | 1,210         |
| 7.7      | 81      | 114     | ●           | 1,100         |
| 7.75     | 81      | 114     | ●           | 1,210         |
| 7.8      | 81      | 114     | ●           | 1,080         |
| 7.85     | 81      | 114     | ●           | 1,210         |
| 7.9      | 81      | 114     | ●           | 1,140         |
| 7.95     | 81      | 114     | ●           | 1,210         |

単位 (Unit) : mm / 円 (¥)

| 直径<br>Dc | 溝長<br>ℓ | 全長<br>L | 在庫<br>Stock | 参考価格<br>Price |
|----------|---------|---------|-------------|---------------|
| 8.0      | 81      | 114     | ●           | 937           |
| 8.05     | 84      | 117     | ●           | 1,400         |
| 8.1      | 84      | 117     | ●           | 1,250         |
| 8.15     | 84      | 117     | ●           | 1,400         |
| 8.2      | 84      | 117     | ●           | 1,230         |
| 8.25     | 84      | 117     | ●           | 1,400         |
| 8.3      | 84      | 117     | ●           | 1,250         |
| 8.35     | 87      | 121     | ●           | 1,400         |
| 8.4      | 87      | 121     | ●           | 1,270         |
| 8.45     | 87      | 121     | ●           | 1,400         |
| 8.5      | 87      | 121     | ●           | 1,140         |
| 8.55     | 87      | 121     | ●           | 1,520         |
| 8.6      | 87      | 121     | ●           | 1,390         |
| 8.65     | 87      | 121     | ●           | 1,520         |
| 8.7      | 87      | 121     | ●           | 1,390         |
| 8.75     | 89      | 124     | ●           | 1,520         |
| 8.8      | 89      | 124     | ●           | 1,420         |
| 8.85     | 89      | 124     | ●           | 1,520         |
| 8.9      | 89      | 124     | ●           | 1,420         |
| 8.95     | 89      | 124     | ●           | 1,520         |
| 9.0      | 89      | 124     | ●           | 1,190         |
| 9.05     | 89      | 124     | ●           | 1,810         |
| 9.1      | 89      | 124     | ●           | 1,570         |
| 9.15     | 92      | 127     | ●           | 1,810         |
| 9.2      | 92      | 127     | ●           | 1,630         |
| 9.25     | 92      | 127     | ●           | 1,810         |
| 9.3      | 92      | 127     | ●           | 1,590         |
| 9.35     | 92      | 127     | ●           | 1,810         |
| 9.4      | 92      | 127     | ●           | 1,630         |
| 9.45     | 92      | 127     | ●           | 1,810         |
| 9.5      | 92      | 127     | ●           | 1,460         |
| 9.55     | 92      | 127     | ●           | 1,950         |
| 9.6      | 95      | 130     | ●           | 1,740         |
| 9.65     | 95      | 130     | ●           | 1,950         |
| 9.7      | 95      | 130     | ●           | 1,740         |
| 9.75     | 95      | 130     | ●           | 1,950         |
| 9.8      | 95      | 130     | ●           | 1,740         |
| 9.85     | 95      | 130     | ●           | 1,950         |
| 9.9      | 95      | 130     | ●           | 1,900         |
| 9.95     | 95      | 130     | ●           | 1,950         |
| 10.0     | 95      | 130     | ●           | 1,510         |
| 10.05    | 95      | 130     | ●           | 2,240         |
| 10.1     | 98      | 133     | ●           | 2,130         |
| 10.15    | 98      | 133     | ●           | 2,240         |
| 10.2     | 98      | 133     | ●           | 2,020         |
| 10.25    | 98      | 133     | ●           | 2,240         |
| 10.3     | 98      | 133     | ●           | 2,020         |
| 10.35    | 98      | 133     | ●           | 2,240         |
| 10.4     | 98      | 133     | ●           | 2,130         |
| 10.45    | 98      | 133     | ●           | 2,240         |
| 10.5     | 100     | 137     | ●           | 1,830         |
| 10.55    | 100     | 137     | ●           | 2,560         |
| 10.6     | 100     | 137     | ●           | 2,520         |
| 10.65    | 100     | 137     | ●           | 2,560         |
| 10.7     | 100     | 137     | ●           | 2,520         |
| 10.75    | 103     | 140     | ●           | 2,560         |
| 10.8     | 103     | 140     | ●           | 2,520         |
| 10.85    | 103     | 140     | ●           | 2,560         |
| 10.9     | 103     | 140     | ●           | 2,520         |
| 10.95    | 103     | 140     | ●           | 2,560         |
| 11.0     | 103     | 140     | ●           | 1,900         |
| 11.05    | 103     | 140     | ●           | 2,770         |
| 11.1     | 103     | 140     | ●           | 2,680         |
| 11.15    | 106     | 143     | ●           | 2,770         |
| 11.2     | 106     | 143     | ●           | 2,560         |
| 11.25    | 106     | 143     | ●           | 2,770         |
| 11.3     | 106     | 143     | ●           | 2,680         |
| 11.35    | 106     | 143     | ●           | 2,770         |
| 11.4     | 106     | 143     | ●           | 2,560         |
| 11.45    | 106     | 143     | ●           | 2,770         |

| 直径<br>Dc | 溝長<br>ℓ | 全長<br>L | 在庫<br>Stock | 参考価格<br>Price |
|----------|---------|---------|-------------|---------------|
| 11.5     | 106     | 143     | ●           | 2,240         |
| 11.55    | 109     | 146     | ●           | 2,910         |
| 11.6     | 109     | 146     | ●           | 2,770         |
| 11.65    | 109     | 146     | ●           | 2,910         |
| 11.7     | 109     | 146     | ●           | 2,900         |
| 11.75    | 109     | 146     | ●           | 2,910         |
| 11.8     | 109     | 146     | ●           | 2,770         |
| 11.85    | 109     | 146     | ●           | 2,910         |
| 11.9     | 109     | 146     | ●           | 2,900         |
| 11.95    | 111     | 149     | ●           | 2,910         |
| 12.0     | 111     | 149     | ●           | 2,260         |
| 12.05    | 111     | 149     | ●           | 3,260         |
| 12.1     | 111     | 149     | ●           | 3,010         |
| 12.15    | 111     | 149     | ●           | 3,260         |
| 12.2     | 111     | 149     | ●           | 3,010         |
| 12.25    | 111     | 149     | ●           | 3,260         |
| 12.3     | 111     | 149     | ●           | 3,010         |
| 12.35    | 114     | 152     | ●           | 3,260         |
| 12.4     | 114     | 152     | ●           | 3,160         |
| 12.45    | 114     | 152     | ●           | 3,260         |
| 12.5     | 114     | 152     | ●           | 2,640         |
| 12.55    | 114     | 152     | ●           | 3,360         |
| 12.6     | 114     | 152     | ●           | 3,360         |
| 12.65    | 114     | 152     | ●           | 3,360         |
| 12.7     | 114     | 152     | ●           | 3,220         |
| 12.75    | 114     | 152     | ●           | 3,360         |
| 12.8     | 114     | 152     | ●           | 3,360         |
| 12.85    | 114     | 152     | ●           | 3,360         |
| 12.9     | 114     | 152     | ●           | 3,360         |
| 12.95    | 114     | 152     | ●           | 3,360         |
| 13.0     | 114     | 152     | ●           | 2,640         |
| 13.5     | 122     | 168     | ●           | 3,960         |
| 13.7     | 122     | 168     | ●           | 4,360         |
| 14.0     | 122     | 168     | ●           | 4,140         |
| 14.5     | 122     | 168     | ●           | 4,790         |
| 15.0     | 132     | 181     | ●           | 4,900         |
| 15.5     | 132     | 181     | ●           | 5,130         |
| 16.0     | 132     | 181     | ●           | 5,380         |
| 16.5     | 132     | 181     | ●           | 5,780         |
| 16.7     | 143     | 194     | ●           | 6,410         |
| 17.0     | 143     | 194     | ●           | 6,100         |
| 17.5     | 143     | 194     | ●           | 6,370         |

包装数量は直径 8mm 以下: 10 本、8mm を超え 13mm 以下: 5 本、13mm を超え: 2 本です。1 本入りは E-6 の鉄工用ドリル SDP をご利用ください。ただし、SDP の直径 4mm 以下は 2 本入りです。参考価格は 2010 年 10 月現在のものです。

総目次

Non  
Coat

穴深さ

~3D

~5D

~7D

~9D

深穴

ノス  
ドリル

鉄骨

油穴付き

アルミ・  
非鉄金属

ストレート

テーパ